

Relative Maturity:25

Positioning For:



MANAGEMENT COMMENTS

- Exceptional harvest standability.
- Excellent option for fields with a history of Sudden Death Syndrome.
- Peking source SCN resistance.
- Good option for fields with a history of iron chlorosis or white mold.

SUITABILITY RATINGS

KEY ENVIRONMENTS

Field Prone to Lodging Highly Suitable

SUITABILITY

SCN-Prone Environments Highly Suitable
 SDS Prone Environments Highly Suitable
 High Residue Highly Suitable
 Double Crop Insufficient Data



SOILS

Early Planting/Cool Soils (w/SDS) Highly Suitable
 Drought-Prone Soils Suitable
 Poorly Drained Soils Highly Suitable
 High PH Soils Highly Suitable

CHARACTERISTIC SCORES

Harvest Standability	8
Field Emergence	7
Iron Def. Chlorosis	5
Plant Height for Maturity	5
Relative Maturity	25
Technology Segment	RR2X
Phytoph. Resist. Gene	1k
Phytoph. Field Tol.	4**
Canopy Width	6**
% Protein at 13% Moisture	

DISEASE & PEST PROTECTION TRAITS

White Mold	5
Sudden Death Syndrome	7
Charcoal Rot	3
Brown Stem Rot	
Aphid Antibiosis	AA
Phytoph. Resist. Gene	
Sudden Death Syndrome	

TRAIT SCORE RATINGS: 9 = Excellent; 1 = Poor. Canopy Width: 9 = Extremely Bushy; 1 = Very Narrow. Plant Height: 9 = Tall; 1 = Short. Blank = Insufficient Data. ** Ratings denoted with a double asterisk (**) reflect preliminary data subject to change when additional data becomes available.